Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"nut lock" and (nut with (shoulder diameter flange) and "411"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/10/25 07:54
		push and pull and head and (sleeve tube cylind\$)	US-PGPUB; USPAT	OR	OFF	2004/10/15 15:08
S1	52	(411/976).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/13 14:40
S2	4	("2147787" "3447342" "4787791" "5022875").PN.	USPAT	OR	OFF	2004/10/13 14:37
S3	2	("3387768" "4566855").PN.	USPAT	OR	OFF	2004/10/13 14:38
S4 .	391	(411/965).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/13 14:44
S5	137	(411/969).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/13 14:52
S6	45	(411/977).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/13 14:57
S7	44	(411/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/13 15:02
S8	354	(411/533,541).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/13 15:35
S9	4	("2297957" "2675044" "5618145" "5897277").PN.	USPAT	OR	OFF	2004/10/13 15:05
S10	530	spindle and washer and retain\$ and tab	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:35
S11	13	spindle and washer and retain\$ and tab and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:40
S12	163	washer and retain\$ and tab and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:41
S13	2	("3387768" "4566855").PN.	USPAT	OR	OFF	2004/10/13 15:56
S14	1	"1390944".PN.	USPAT	OR	OFF	2004/10/13 15:59
S15	9	("2622934" "2698202" "3439955" "3701564" "4812094" "5533849" "5560687" "5772373" "5967722").PN.	USPAT	OR	OFF	2004/10/13 16:19
S16	301	411/120	US-PGPUB; USPAT	OR	OFF	2004/10/13 16:21
S17	7	("D276411" "D301687" "0753588" "0824078" "1026138" "1374054" "3050097").PN.	USPAT	OR	OFF	2004/10/13 16:37

S18	16	("0613776" "0712905" "1040215" "1081631" "1140974" "1150362" "1543282" "1611408" "2909090" "3208493" "3307893" "3768345" "3851690" "3942570" "4210372" "4812094").PN.	USPAT	OR	OFF	2004/10/13 16:44
S19	7	("Re01579" "0433730" "0681593" "0913486" "1077670" "1320962" "3670795").PN.	USPAT	OR	OFF	2004/10/14 08:24
S20	5	(("0130689") or ("0480667") or ("0489595") or ("0782418") or ("6010290")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/14 11:22
S21	19	("0130689" "0152344" "0669840" "0763821" "0788058" "1033759" "1309463" "1311727" "1358690" "1363210" "1480885" "1613493" "1707932" "1966015" "2384908" "2405424" "4572718" "5562378" "5674034").PN.	USPAT	OR	OFF	2004/10/14 11:09
S22	70	411/220	US-PGPUB; USPAT	OR	OFF	2004/10/14 11:29
S23	5171	bearing and thread and lock and washer and nut	US-PGPUB; USPAT	OR	ON	2004/10/14 11:29
S24	272	bearing and thread and lock and washer and nut and "411"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/10/14 12:11
S25	157	(411/204).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/14 12:57
S26	37	axle with spindle and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/14 12:58
S27	5	("0803300" "1132521" "1188916" "1540055" "1931386").PN.	USPAT	OR	OFF	2004/10/14 13:02
S28	6	("0976928" "1440938" "1491163" "4906150" "5395192" "5674034").PN.	USPAT	OR	OFF	2004/10/14 13:52
S29	9	("0578412" "0838917" "1061125" "1211553" "1345358" "2168469" "3082048" "3220289" "4042306").PN.	US-PGPUB; USPAT	OR	OFF	2004/10/19 14:48
S30	158	(411/119).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:48
S31	102	(411/121).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:48

S32	54	(411/122).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:49
S33	211	(411/123).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:49
S34	54	(411/124).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:49
S35	168	(411/197).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:49
S36	171	(411/201).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:49
S37	74	(US-6612658-\$ or US-6059486-\$ or US-0915642-\$ or US-0955577-\$ or US-0995760-\$ or US-1107473-\$ or US-1621854-\$ or US-1657949-\$ or US-1707933-\$ or US-1934920-\$ or US-2128429-\$ or US-2392714-\$ or US-2887891-\$ or US-4326816-\$ or US-4406179-\$ or US-3022809-\$ or US-3220289-\$ or US-3022809-\$ or US-4737058-\$ or US-5618143-\$ or US-5772373-\$ or US-5795037-\$ or US-0670359-\$). did. or (US-0706409-\$ or US-1374054-\$ or US-0669838-\$ or US-1374054-\$ or US-1401757-\$ or US-1543282-\$ or US-4616967-\$ or US-1372178-\$ or US-5938173-\$ or US-5971686-\$ or US-6053681-\$ or US-5971686-\$ or US-5938173-\$ or US-5674034-\$ or US-5938173-\$ or US-5674034-\$ or US-5938173-\$ or US-3804140-\$ or US-3610659-\$ or US-1692469-\$ or US-0735039-\$ or US-0735039-\$ or US-0735039-\$ or US-0735039-\$ or US-0735039-\$ or US-56224167-\$ or US-5967723-\$ or US-5967721-\$ or US-5562378-\$ or US-5967721-\$ or US-5562378-\$ or US-5474409-\$ or US-5163699-\$ or US-59215336-\$ or US-4702448-\$ or US-4702448-\$ or US-4702448-\$ or US-4702448-\$ or US-4702448-\$ or US-4702448-\$ or US-6135509-\$ or US-0490553-\$ or US-0613776-\$ or US-0640438-\$ or US-0906475-\$). did.	US-PGPUB; USPAT	OR	OFF	2004/10/20 13:00

S38	1	("5618143").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 15:21
S39	7	"3294141".URPN.	USPAT	OR	OFF	2004/10/19 16:37
S40	9	("1316344" "1349404" "2013526" "2443614" "4236561" "4893977" "5033924" "5160227" "5362111").PN.	USPAT	OR	OFF	2004/10/20 15:02
S41	1	("0480667").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 13:04
S42	1	("1015763").PN.	US-PGPUB; USPAT; USOCR	OR .	OFF	2004/10/20 13:05
S43	59	(411/975).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 13:31
S44	30	(411/236).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 13:42
S45	46	(411/226).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 13:47
S46	. 8	(411/233).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 13:49
S47	15	(411/234).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 13:51
S48	24	(411/235).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 13:52
S49	30	(411/236).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF.	2004/10/20 13:58
S50	72	(411/237).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 14:07
S51	112	(411/223).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 14:28
S52	. 3	"541159".URPN.	USPAT	OR .	OFF	2004/10/20 14:26
S53	8	"nut lock" and rotate\$ and washer and bend\$ and tab and "411"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2004/10/20 14:33
S54	2	("1189656" "3851690").PN.	USPAT	OR	OFF	2004/10/20 14:30
S55	2206	"nut lock"	US-PGPUB; USPAT	OR	ON	2004/10/20 14:35

			T	T		
S56	63	(411/191).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 14:42
S57	32	(411/192).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 14:43
S58	22	"jam nut" and lock and washer and (shoulder diameter flange) and "411"/\$.ccls.	US-PGPUB; USPAT	OR ·	ON	2004/10/20 14:46
S59	168	(411/197).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 14:47
S60	114	(411/539).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 15:05
S61	2	floating with washer and "lock nut" and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/20 15:06
S62	217	washer and "lock nut" and "411"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/20 15:07
S63	228	nut and washer and shoulder and rotate and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/20 15:56
S64	4	("Re33827" "1746978" "5474409" "5522688").PN.	USPAT	OR	OFF	2004/10/20 15:26
Ś65	1	("0130689").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 16:32
S66	1	("0955577").PN	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/20 16:32
S67	1	("1731337").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/21 12:03
S68	1	("5772373").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/21 12:28
S69	1	("1480885").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/21 12:28
S70	955	lock and (nut with (shoulder diameter flange)) and "411"/\$.ccls.	US-PGPUB; USPAT	OR	ON V	2004/10/25 08:59
S71	4	(("4812094") or ("3762455") or ("5533849") or ("5597278")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF.	2004/10/25 07:58
S72	307	(411/910).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/25 08:59

			T	1		
S73	8	("0641191" "1447564" "1696523" "2054060" "3261254" "3492841" "3865246" "3978761").PN.	USPAT	OR	OFF	2004/10/25 09:07
S74	12	"641191".URPN.	USPAT	OR	OFF	2004/10/25 09:09
S75	0	(("130,689") or ("480,667") or ("489,595") or ("782,418") or ("6. 010.290")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/14 08:39
S76	61	411/226	US-PGPUB; USPAT	OR	OFF	2004/10/14 11:25
S77	0	axle with spindle and "411"/\$.ccls	US-PGPUB; USPAT	OR	OFF	2004/10/14 12:57
S78	0	pull and tube and thread and "411"/\$.ccls	US-PGPUB; USPAT	OR .	OFF	2004/10/15 15:01
S79	45	411/54.1	US-PGPUB; USPAT	OR	OFF	2004/10/15 14:53
S80	. 113	411/60.2	US-PGPUB; USPAT	OR	OFF	2004/10/15 15:01
S81	7622	pull and tube and thread	US-PGPUB; USPAT	OR	OFF	2004/10/15 15:01
S82	101	pull and tube and thread and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/15 15:06
S83	200	push and pull and head and (sleeve tube cylind\$) and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/15 15:12
S84	16	("3319918" "4403377" "4952106" "5201623" "5211519" "5316423" "5333897" "5387065" "5562375" "5568675" "5624130" "5632581" "5755458" "5765860" "5775860" "5846040").PN.	USPAT	OR	OFF	2004/10/15 15:09
S85	4	("4637765" "4840523" "4952106" "5085545").PN.	USPAT	OR	OFF	2004/10/15 15:11
S86	469	411/45	US-PGPUB; USPAT	OR	OFF	2004/10/15 15:18
S87	247	insert and pull and retain\$ and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/15 15:24
S88 _.	147	411/60.1	US-PGPUB; USPAT	OR	OFF	2004/10/15 15:24
S89	1	("0000121").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:48
S90	158	(411/119).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/10/19 14:48
S91	0	"480667".URPN.	USPAT	OR	OFF	2004/10/20 13:03
S92	0	"480667".URPN.	USPAT	OR	OFF	2004/10/20 13:03

S93	0	"1015763".URPN.	USPAT	OR	OFF	2004/10/20 13:04
S94	0	"692573".URPN.	USPAT	OR	OFF	2004/10/20 13:39
S95	228	nut and washer and shoulder and washer and rotate and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/20 15:23
S96	6765	nut and washer and shoulder and washer and rotate	US-PGPUB; USPAT	OR	OFF	2004/10/20 15:23
S97	228	nut and washer and shoulder and rotate and "411"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/20 15:23
S98	1	("0641191").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/07 15:25
S99	3	(("5618143") or ("1505431") or ("2955885")).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/26 15:18